

BIMATOPROST 0.03%
(GENERIC LATISSE, CAREPROST, SUPERLASH)
www.isis.gold

**PLEASE READ THE PRODUCT INSERT & THE INFORMATION
ON OUR WEBSITE ABOUT BIMATOPROST (about, usage, side
effects, etc...)**

DIRECTIONS (Eye lashes):

Remove make-up, apply only to clean skin. A little goes a long way! Just a drop onto the tip of the applicator brush is enough for your top & bottom eyelids/lashes. When you do this a tiny bit will run down the spout & pool at the base. **DON'T WASTE THAT**, dab it like a paint brush on a pallet or a make-up brush in eye shadow and use this for the other eyelid/lashes. This product is amazing you only need to apply it **ONCE A DAY!** If you apply more than that, you are a very impatient person!

Apply at the very base of your eyelashes where they are actually coming out of your eyelid's skin. **DO NOT** apply like eyeliner. Most people apply careprost/lumigan/latisse, as if it's eyeliner but this is a waste of product and that method contributes to the darkening of the eyelid. ::: **Always wipe your applicator bush off with alcohol after using** :::

ALLERGY WARNING: There is a very small percentage (under 4%) of people that are allergic to bimatoprost. Symptoms are itching/redness, if you experience any of these symptoms please discontinue use of Bimatopprost.

HOW TO PREVENT DARKENING OF YOUR EYELID:

Apply as instructed above **BUT** if your eyelids do start to darken, it will only look as if you have on **VERY LITTLE EYESHADOW** (some people with light complexions actually like this effect). If you do notice darkening of your eyelids (and don't want this) you can counter act this by applying a little fading cream to your eyelids daily (much later after you have applied Bimatopprost or way before). This would only be a temporary thing, because after using Bimatopprost for about 3 months your eyelashes would have reached their climax

and you would then only need to apply Bimatoppprost once a week for maintenance.

DIRECTIONS (eyebrows):

Literally ONE DROP takes care of both eyebrows. Put one drop at the beginning of your eyebrow (between your eyes) then with your finger tip wipe it to the other end (near your temple). Then use your still saturated fingertip to wipe the other brow the same way. *:TIP: It isn't necessary but you can wear a plastic glove to apply. This conserves product by preventing it from absorbing into your fingertip & only on your eyebrows:*

DIRECTIONS (scalp, bald edges, etc...):

This also works on edges & scalp hair BUT results are way more noticeable on eyelashes & eyelids. Apply as needed to desired areas. I suggest you start with only one drop and rub it in FIRST to see if it covers the entire area desired. Then apply as needed. How much is enough? If the skin where you've applied it is "moistened" even a little, this is ENOUGH. Like I said a little goes a long way. *:TIP: It isn't necessary but you can wear a plastic glove to apply. This conserves product by preventing it from absorbing into your fingertips & only on your scalp:*

NOTE:

For your eye lashes: One bottle should last you a good while (maybe 2 months). If you are using it for more than your eyelashes it varies.

For scalp hair: It is possible that careprost can increase the number of actual hairs BUT if you are using careprost on a shiny, smooth, COMPLETELY BALD area please don't expect careprost to grow in new hair that was never there. Careprost thickens, lengthens & darkens existing hair. This includes ALL hair, even hair that is almost invisible like "peach fuzz", "baby hair", and the hair on the nape of your neck. Knowing this, please be careful when applying. If you don't want hair on your face or "Elvis Side-burns" make sure the product doesn't drip/run to an undesired area of skin. Constant application will cause this to happen.

WHAT TO EXPECT:

This is some good stuff! My personal experience, I saw results within a few days. I had not even been using this product a week and I

noticed that a few of my eyelashes had shot straight out, way longer than the rest of my eyelashes. Three weeks later, WOW! I had long, thicker, tightly curled lashes – ***(this is due to my own genetics, some of you may have naturally relaxed lashes. Some people like curled lashes but I don't so I use a straightener (sometimes) to relax them a bit)*** I had even stopped using careprost for a while (about 2 weeks) because I was so busy & was forgetting. My lashes never went back to the way they were. Your lashes/hair is supposed to revert after discontinuing usage but apparently it will take longer than 2 weeks to do so, for me at least. I have heard of VERY FEW people not getting results from latisse (and other similar products) the only reason this could be is that they have been using a FAKE or watered down product because ANYTHING with bimatoprost 0.03% in it WORKS, period.

DISCLAIMER

We here at Isis Cosmeceuticals are not the manufacturers of this product, we are only distributors. We are also not liable for negative results due to abuse or misuse of this product. Please read & follow the insert directions that comes with this product.

SIDE EFFECTS

This product has no systemic side effects. There are some rare side effects after using Bimatoprost 0.03% solution, those being an itching sensation in the eyes, eye dryness, or irritation to the eye lid. This has been reported in no more than 4% of people who have used it. Bimatoprost 0.03% solution may cause other common side effects which typically occur on the skin close to where the solution is applied. These include skin darkening (reversible or preventable by using a mild skin bleaching cream around the area). For the most part, this product is a very gentle solution and generally causes no discomfort. If you develop a new ocular condition (e.g., trauma or infection), experience a sudden decrease in visual acuity, have ocular surgery, or develop any ocular reactions, particularly conjunctivitis and eyelid reactions, you should immediately seek your physician's advice concerning the continued use of this product. It is possible for hair growth to occur in other areas of your skin that this solution frequently touches. Any excess solution outside the upper eyelid margin should be blotted with a tissue or other absorbent material to reduce the chance of this from happening.